

2017 STAC Workshop

Aligning Monitoring with Climate Change

Submerged Aquatic Vegetation

Reference Material

(with hyperlinks)

Section I: Submerged Aquatic Vegetation (SAV)

Jarvis, J.C., Brush, M.J., Moore, K.A. 2014. Modeling loss and recovery of *Zostera marina* beds in the Chesapeake Bay: The role of seedlings and seed-bank viability. *Aquatic Botany* 113, 32-45.

Orth, R.J., Williams, M.R., Marion, S., Wilcox, D.J., Carruthers, T.J.B., Moore, K.A., Kemp, W.M., Dennison, W.C., Rybicki, N., Bergstrom, P., Batiuk, R. 2010. Long-term trends in submersed aquatic vegetation (SAV) in Chesapeake Bay, USA, related to water quality. *Estuaries and Coasts* 33, 1144–1163.

Moore, K.A. and Jarvis, J.C. 2008. Environmental factors affecting recent summertime eelgrass diebacks in the lower Chesapeake Bay: implications for long-term persistence. *Journal of Coastal Research*, pp.135-147.

Palacios, S.L. and Zimmerman, R.C. 2007. Response of eelgrass *Zostera marina* to CO₂ enrichment: possible impacts of climate change and potential for remediation of coastal habitats. *Marine Ecology-Progress Series*, 344, p.1.

Wood, R. J., D. F. Boesch, and V. S. Kennedy. 2002. Future consequences of climate change for the Chesapeake Bay ecosystem and its fisheries, *Am. Fish. Soc. Symp.*, 32: 171–184.

Zimmerman, R.C., Hill, V.J. and Gallegos, C.L. 2015. Predicting effects of ocean warming, acidification, and water quality on Chesapeake region eelgrass. *Limnology and Oceanography*, 60(5), pp.1781-1804.

Section II: General Biota

Townsend, Howard. [Climate Change and Ecological Forecasting in the Chesapeake Bay](#). In Johnson, Z., M. Bennett, L. Linker, S. Julius, R. Najjar, M. Mitchell, D. Montali, R. Dixon. 2016. [Development of Climate Projections for Use in Chesapeake Bay Program Assessments](#). Chesapeake Bay Program Partnership, Annapolis, MD.

Hare JA, Morrison WE, Nelson MW, Stachura MM, Teeters EJ, et al. 2016. A Vulnerability Assessment of Fish and Invertebrates to Climate Change on the Northeast U.S. Continental Shelf. [PLoS ONE 11\(2\): e0146756. doi: 10.1371/journal.pone.0146756.](#)

Vaquer-Sunyer, R., Duarte, C.M. 2011. Temperature effects on oxygen thresholds for hypoxia in marine benthic organisms. [Global Change Biology 17, 1788-1797.](#)

Johnson Z.P. et. al., "Bay and Aquatic Ecosystems." Comprehensive Strategy for Reducing Maryland's Vulnerability to Climate Change, Phase II: Building Societal, Economic, and Ecological Resilience. A report to the Maryland Commission on Climate Change from the Adaptation and Response Working Group. 2010. Boicourt KE and Johnson ZP (eds). University of Maryland Center for Environmental Science, Cambridge, Maryland and Maryland Department of Natural Resources, Annapolis, Maryland.

Najjar, R.G., Pyke, C.R., Adams, M.B., Breitburg, D., Hershner, C., Kemp, M., Howarth, R., Mulholland, M.R., Paolisso, M., Secor, D. and Sellner, K., D. Wardrop, R. Wood. 2010. Potential climate-change impacts on the Chesapeake Bay. [Estuarine, Coastal and Shelf Science, 86\(1\), pp.1-20.](#)

Pyke, C.R., Najjar, R.G., Adams, M.B., Breitburg, D., Kemp, M., Hershner, C., Howarth, R., Mulholland, M., Paolisso, M., Secor, D., Sellner, K., D. Wardrop, R. Wood. 2008. [Climate Change and the Chesapeake Bay: State-of-the-Science Review and Recommendations. A Report from the Chesapeake Bay Program Science and Technical Advisory Committee \(STAC\). Annapolis, MD, 59.](#)

Moore, K.A. and Jarvis, J.C. 2008. Environmental factors affecting recent summertime eelgrass diebacks in the lower Chesapeake Bay: implications for long-term persistence. [Journal of Coastal Research, pp.135-147.](#)